

L Number	Hits	Search Text	DB	Time stamp
1	2	6359320.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 16:06
2	7	("5471330" "5763301" "5767531" "5818067" "5861656" "6147667" "6246070").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 15:50
3	2	6015724.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 16:16
4	5	("4465561" "5440239" "5639344" "5686328" "5736434").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 16:07
5	11	"773543"	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 16:11
6	2	6509616.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 16:43
7	18	("4918504" "5517342" "5644147" "5757054" "5767926" "5767930" "5856689" "5990491" "5995175" "6088070" "6115094" "6124604" "6160269" "6277679" "6313900" "6358759" "6403395" "6433767").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 16:20
8	32	(electrolysis or electrolytic or electroplat\$3) same tft same pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 16:44
9	21	((electrolysis or electrolytic or electroplat\$3) same tft same pixel) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 17:55
10	7	("5086009" "5212575" "5270229" "5650867" "5851918" "6081310" "6319741").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 16:48
11	3	("6100194" "6180523" "6207599").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 17:15
12	240	electroplat\$3 with source with electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 17:55
13	11	(electroplat\$3 with source with electrode) and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 17:55
14	5	((electroplat\$3 with source with electrode) and pixel) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 18:13
22	0	2001/0010370	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 18:05
29	47	((electroplat\$3 or coat\$3) with (source or signal)) same ((lower or reduc\$4) with resis\$6) and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 18:13
30	30	((electroplat\$3 or coat\$3) with (source or signal)) same ((lower or reduc\$4) with resis\$6) and pixel) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 18:13
-	7	(plurality with pixels with matrix) same (switching with element) same (light with emitting)	USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT	2003/09/22 12:16
-	3194	(source with signal with lines) same (power with supply with lines)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/08/30 12:10

1	((source with signal with lines) same (power with supply with lines)) same (conductive with coating)	USPAT; EPO; JPO; DERWENT	2002/08/30 12:45
0	((source with signal with lines) same (power with supply with lines)) and 257/88.ccls.	USPAT; EPO; JPO; DERWENT	2002/08/30 12:46
479	257/88.ccls.	USPAT; EPO; JPO; DERWENT	2002/08/30 12:47
9	257/88.ccls. and (source with signal with lines)	USPAT; EPO; JPO; DERWENT	2002/08/30 13:06
1037	electroplat\$3 with coat\$3 with conductive	USPAT; EPO; JPO; DERWENT	2002/08/30 16:24
10	(electroplat\$3 with coat\$3 with conductive) and (light with emitting)	USPAT; EPO; JPO; DERWENT	2002/08/30 13:17
64	(electroplat\$3 with coat\$3 with conductive) same (cu or al or au or ag)	USPAT; EPO; JPO; DERWENT	2002/08/30 13:18
11	(electroplat\$3 with coat\$3 with conductive) same (reduc\$3 with resistance)	USPAT; EPO; JPO; DERWENT	2002/08/30 16:32
6	(electroplat\$3 with reduc\$3 with resistance) same (cu or al or au or ag)	USPAT; EPO; JPO; DERWENT	2002/08/30 16:34
140	electroplat\$3 with reduc\$3 with resistance	USPAT; EPO; JPO; DERWENT	2002/08/30 16:37
2	5726461.pn.	USPAT; EPO; JPO; DERWENT	2003/03/21 14:44
22295	terminal and lcd	USPAT; EPO; JPO; DERWENT	2003/03/21 14:48
45	led same pixel same terminal same driver	US-PGPUB; EPO; JPO; DERWENT	2003/03/21 16:27
135	pixel with switching with (light adj emitting)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 16:59
2	(pixel with switching with (light adj emitting)) and (signal with coating)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 16:57
2	(pixel same switching same (light adj emitting)) and (signal with coating)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 17:08
1162	signal with line with coat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 17:10
182	(signal with line with coat\$3) and pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 17:11
108	(signal with line with coat\$3) same pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 17:11
80	((signal with line with coat\$3) same pixel) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 20:26

2	6362866.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 20:23
26383	active adj matrix	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 20:25
87	signal with line with conductive with coating	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/21 20:26
77	(signal with line with conductive with coating) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/23 15:14
2	6359320.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/23 15:11
2576	lcd with (light adj emitting)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/23 15:11
0	(signal with line with conductive with coating) and @ad<20001221 and (lcd with (light adj emitting))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/23 15:15
110	(lcd with (light adj emitting)) same pixel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/03/23 15:15
1422	pixel and matrix and (switching or transistor) and (light with emit\$4 with organic) and (source or signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/25 17:42
5	(pixel and matrix and (switching or transistor) and (light with emit\$4 with organic) and (source or signal)) and (((\$7plat\$3 or coat\$3) with (source or signal)) same (lower with resistance))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/25 14:57
410	(((\$7plat\$3 or coat\$3) with (source or signal)) same (lower with resistance))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/25 15:04
32	(((\$7plat\$3 or coat\$3) with (source or signal)) same (lower with resistance))) and pixel and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/25 17:45
5	("5793058" "5885859" "5920085" "6081308" "6310670").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/25 16:01
1422	pixel and matrix and (switching or transistor) and (light with emit\$4 with organic) and (source or signal)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/25 17:42
9973	(((\$7plat\$3 or coat\$3) with (source or signal)) and pixel and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/25 17:46
74	(pixel and matrix and (switching or transistor) and (light with emit\$4 with organic) and (source or signal)) and (((\$7plat\$3 or coat\$3) with (source or signal)) and pixel and @ad<20001221)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/08/25 17:47
3	"011813"	USPAT; EPO; JPO; DERWENT	2003/09/11 17:27
0	"20020070382"	USPAT; EPO; JPO; DERWENT	2003/09/11 17:26
0	"us2002/0070382"	USPAT; EPO; JPO; DERWENT	2003/09/11 17:27

0	"2002/0070382"	USPAT; EPO; JPO; DERWENT	2003/09/11 17:27
0	10/011813.ap.	USPAT; EPO; JPO; DERWENT	2003/09/11 17:28
3	011813.ap.	USPAT; EPO; JPO; DERWENT	2003/09/11 17:32
0	yamazaki and koyama and kuwabara and fujikawa	USPAT; EPO; JPO; DERWENT	2003/09/11 17:33
995	yamazaki and koyama	USPAT; EPO; JPO; DERWENT	2003/09/11 17:36
0	(yamazaki and koyama) and "semiconductor device and manufacturing method thereof"	USPAT; EPO; JPO; DERWENT	2003/09/11 17:37
2	6509616.pn.	USPAT; EPO; JPO; DERWENT	2003/09/17 19:49
0	us2001/0010370	USPAT; EPO; JPO; DERWENT	2003/09/17 19:50
0	us2001/0010370	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 19:50
0	2001/0010370	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 19:50
2	"20010010370"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/17 19:50
30	(pixel same (source with plat\$3)) and (organic with light with emit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:34
13	((pixel same (source with plat\$3)) and (organic with light with emit\$4)) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:10
62	(source with plating) and (organic with light with emit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:33
31	((source with plating) and (organic with light with emit\$4)) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:39
596	(source with plat\$3 with signal with line)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:37
6	((source with plat\$3 with signal with line)) and pixel and (organic with light with emit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:38
3	(source with electroplat\$3 with signal with line)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:38
1477	(source with electroplat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 13:59
1	((source with electroplat\$3)) and pixel and (organic with light with emit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:01

-	43	coat\$3 with lower with resistance with source	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/ 12:39
-	36	(coat\$3 with lower with resistance with source) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:52
-	2	6509616.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:52
-	1	6509616.pn. and (copper or cu or aluminum or gold or au or silver or ag)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 12:53
-	1580	source with (electroplat\$3 or (electrolytic adj plating))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:00
-	2	(source with (electroplat\$3 or (electrolytic adj plating))) and pixel and (organic with light with emit\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:08
-	12	(source with (electroplat\$3 or (electrolytic adj plating))) and pixel and organic	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 14:09
-	2	((source with (electroplat\$3 or (electrolytic adj plating))) and pixel and organic) and @ad<20001221	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/09/22 15:17